



HUENU HR1804UV

Impresión UV rollo a rollo con acabados de alto valor

Barniz, relieve y colores especiales en un solo equipo



Expandí tu negocio con impresión UV de alto impacto

El **Huenú HR1804UV** es un equipo de impresión UV rollo a rollo diseñado para ampliar tu oferta con aplicaciones de alto valor agregado. Incorpora tecnología para imprimir con barniz, relieve y colores especiales, permitiéndote diferenciarte y aumentar la rentabilidad de cada trabajo.



Aplicaciones


- Señalética
- Decoración
- Packaging
- Publicidad gráfica
- Displays




Diferenciales de impresión

Colores flúo y spot

Relieve y barniz sectorizado





HUENU HR1804UV

Sistemas del equipo


SISTEMA DE ALIMENTACIÓN Y BOBINADO MOTORIZADO

Optimiza el flujo de trabajo y permite manejar materiales de gran tamaño con estabilidad.




RODILLO DE ARRASTRE DE ALTA CAPACIDAD

Garantiza un avance uniforme del material, evitando desviaciones y errores en tiradas largas.



AJUSTE DE SUCCIÓN POR PANEL

Permite adaptar la fijación del material según el tipo de sustrato, mejorando la precisión.



CAMA CON TEMPERATURA VARIABLE

Facilita la impresión en distintos materiales y condiciones ambientales.



REFRIGERACIÓN POR AGUA

Asegura estabilidad térmica y mayor vida útil del equipo.




CONTROL DE POTENCIA UV

Optimiza el curado y mejora la calidad final de impresión.



LÁMPARA BACKLIGHT

Permite verificar la calidad de impresión en tiempo real.



Sistema de tintas versátil

8 canales de tinta que permiten configuraciones con:

CMYK



Blanco



Barniz




Flúo / Spot



*Adaptable a distintas necesidades de producción.





Configuraciones

Speed



1

	Head	H1	H2	H3	H4	3PASS	4PASS	6PASS
1	H1-H4	CMYK	CMYK	CMYK	CMYK	77m ² /h	60m ² /h	44m ² /h
2	H1-H3	CMYK	CMYK	CMYK		57.75m ² /h	45m ² /h	33m ² /h
3	H1-H2	CMYK	CMYK			38.5m ² /h	30m ² /h	22m ² /h
4	H1	CMYK				19.25m ² /h	15m ² /h	11m ² /h

CCCC



2

	Head	H1	H2	H3	H4	3PASS	4PASS	6PASS
1	H1-H4	W	CMYK	CMYK	CMYK	57.75m ² /h	45m ² /h	33m ² /h
2	H1-H3	W	CMYK	CMYK		38.5m ² /h	30m ² /h	22m ² /h
3	H1-H2	W	CMYK			19.25m ² /h	15m ² /h	11m ² /h
4	H2-H4		CMYK	CMYK	CMYK	57.75m ² /h	45m ² /h	33m ² /h
5	H2H3		CMYK	CMYK		38.5m ² /h	30m ² /h	22m ² /h
6	H2		CMYK			19.25m ² /h	15m ² /h	11m ² /h

WCCC



3

	Head	H1	H2	H3	H4	3PASS	4PASS	6PASS
1	H1-H4	W	W	CMYK	CMYK	38.5m ² /h	30m ² /h	22m ² /h
2	H2-H4		W	CMYK	CMYK	38.5m ² /h	30m ² /h	22m ² /h
3	H3H4			CMYK	CMYK	38.5m ² /h	30m ² /h	22m ² /h
4	H3			CMYK		19.25m ² /h	15m ² /h	11m ² /h

WWCC

Varnish



4

	Head	H1	H2	H3	H4	3PASS	4PASS	6PASS
1	H1-H4	CMYK	W	CMYK		19.25m ² /h	15m ² /h	11m ² /h
2	H2-H4		W	CMYK	V	19.25m ² /h	15m ² /h	11m ² /h
3	H2H3		W	CMYK		19.25m ² /h	15m ² /h	11m ² /h
4	H1H2	CMYK	W			19.25m ² /h	15m ² /h	11m ² /h
5	H1H4	CMYK			V	19.25m ² /h	15m ² /h	11m ² /h
6	H1	CMYK		CMYK		38.5m ² /h	30m ² /h	22m ² /h

CWCV



5

	Head	H1	H2	H3	H4	3PASS	4PASS	6PASS
1	H1-H4	W	CMYK	CMYK	V	38.5m ² /h	30m ² /h	22m ² /h
2	H1H2H4	W	CMYK		V	19.25m ² /h	15m ² /h	11m ² /h
3	H2H4		CMYK		V	19.25m ² /h	15m ² /h	11m ² /h
4	H4		CMYK			19.25m ² /h	15m ² /h	11m ² /h

WCCV



6

	Head	H1	H2	H3	H4	3PASS	4PASS	6PASS
1	H1-H4	W	CMYK	ORGLK	V	19.25m ² /h	15m ² /h	11m ² /h
2	H1H2H4	W	CMYK		V	19.25m ² /h	15m ² /h	11m ² /h
3	H1-H3	W	CMYK	ORGLK		19.25m ² /h	15m ² /h	11m ² /h
4	H1H2	W	CMYK			19.25m ² /h	15m ² /h	11m ² /h
5	H2H3		CMYK	ORGLK		19.25m ² /h	15m ² /h	11m ² /h

WCOV


Color



7

	Head	H1	H2	H3	H4	3PASS	4PASS	6PASS
1	H1-H4	CMYK	ORGLK	CMYK	ORGLK	38.5m ² /h	30m ² /h	22m ² /h
2	H1H2	CMYK	ORGLK			19.25m ² /h	15m ² /h	11m ² /h
3	H1	CMYK				19.25m ² /h	15m ² /h	11m ² /h

COCO



8

	Head	H1	H2	H3	H4	3PASS	4PASS	6PASS
1	H1-H4	CMYK	LC(L)M(L)K(L)K	CMYK	LC(L)M(L)K(L)K	38.5m ² /h	30m ² /h	22m ² /h
2	H1H2	CMYK	LC(L)M(L)K(L)K			19.25m ² /h	15m ² /h	11m ² /h
3	H1	CMYK				19.25m ² /h	15m ² /h	11m ² /h

CLCL

WCCF




9

	Head	H1	H2	H3	H4	3PASS	4PASS	6PASS
1	H1-H4	W	CMYK	CMYK	FMFY	38.5m ² /h	30m ² /h	22m ² /h
2	H2-H4		CMYK	CMYK	FMFY	38.5m ² /h	30m ² /h	22m ² /h
3	H2-H3		CMYK	CMYK		38.5m ² /h	30m ² /h	22m ² /h
4	H2		CMYK			19.25m ² /h	15m ² /h	11m ² /h

CCLF

	Head	H1	H2	H3	H4	3PASS	4PASS	6PASS
1	H1-H4	CMYK	LC(L)M(L)K(L)K	CMYK	LC(L)M(L)K(L)K	38.5m ² /h	30m ² /h	22m ² /h
2	H1H2	CMYK	LC(L)M(L)K(L)K			19.25m ² /h	15m ² /h	22m ² /h
3	H1	CMYK				19.25m ² /h	15m ² /h	22m ² /h





Especificaciones técnicas

Plotter de Impresión UV de Gran Formato – Color / Blanco / Barniz / Fluorescentes

Boards& RIP	<ul style="list-style-type: none"> Password Rip Software 	<ul style="list-style-type: none"> Build in Boards & Showing in Software PhotoPRINT UV Rip Software
Body	<ul style="list-style-type: none"> Main Girder Structure Y-Axis Beam Linear Guide Way Pinch Roller Printing Bed Suction System LED lighting 	<ul style="list-style-type: none"> 200*100*5mm Square Tube 20mm Diameter Aluminium Beam THK linear guide way With two Block Hi Precision 3 level Pinch roller 178mm Wide Printing Bed Adjustable Vacuum Suction System Printing Bed Lighting System
Carriage	<ul style="list-style-type: none"> Belt Chain Cable Power Cable Encoder Carriage Lifting Capping Anti Collision 	<ul style="list-style-type: none"> Italy MEGADYNE Belt Germany Igus Drag Chain Fiber Germany Igus Power Cable 180DPI(9730) Manual type Carriage Lifting System Automatic Capping & Wipping system Anti Collision System
Motor	<ul style="list-style-type: none"> X Motor Y Motor XY Motor Bracket 	<ul style="list-style-type: none"> Leadshine 400W AC Servo Motor Leadshine 180W DC Servo Motor Metal Brackets
F&T	<ul style="list-style-type: none"> Paper Sensor Feeding and Take up Leveling Stand 	<ul style="list-style-type: none"> Paper Out Warning Sensor Double Industry motor Leveling Stand
Ink Supply	<ul style="list-style-type: none"> INK Supply System Main INK tank Damper Ink Pump 	<ul style="list-style-type: none"> Bulk ink Supply system 1.5L Main INK tank Negative type Damper SPD Ink Pump
Heating&Drying	<ul style="list-style-type: none"> Drying System Heating Control Panel Heating System Carriage Plate Heater 	<ul style="list-style-type: none"> LED UV Curing With Water Cooling System 3 in 1 Heating Control Panel Rear-Printing Bed-Front 3 Heaters 24V DC Heater
Packing	<ul style="list-style-type: none"> Printer Name Plate Printer Packing Printer Size L*W*H Packingsize N.W/G.W. 20GP/40HQ 	<ul style="list-style-type: none"> Alumimuml Name Plate Wooden Box 3100*700*1650 3200*750*1130 345KG / 440KG 6PCS / 18PCS